

## Cycle Stands

### 5 Cycle Racks



**5 Cycle Rack. B131v**  
Zinc plated steel construction.  
Designed to park 5 Bicycles.  
Length: 1340mm(300 mm centres)  
One piece – no assembly required.



**5 Cycle Rack. B132v**  
Stepped design to maximize storage capacity.  
Designed to park 5 Bicycles.  
Length: 1220 mm(275mm centres)  
One piece – no assembly required.

### Vertical Wall rack



6 Bike – 1950w(2140mm required) x 1150d x 1830h mm  
Supplied in kit form for self assembly.

### Multi Cycle Rail/ Toastrack



No installation required.

5 Rail – **Parks 10 cycles** – 3050mm long.

Rail Dims: 600w x 800h mm. 700mm between rails.

- Galvanised Mild Steel:
- Galvanised & Painted:
- 316 Stainless Steel:

### Curved Cycle Stand.



Tubular steel. Dims: 1600 x 800h mm.

Can be supplied to be set in concrete or with flange to bolt to concrete floor.

- Galvanised Mild Steel:
- Galvanised & Painted:
- 316 Stainless Steel:

### Cycle Rail(Sheffield Stand)



*Stainless steel*

Ø 50mm tubular steel. Dims: 800w x 750h mm.

Can be supplied with longer uprights(1000mm) to be set in concrete or with base plates to bolt to concrete surface.

- Galvanised Mild Steel:
- Galvanised & Painted:
- 316 Stainless Steel:

### Heritage cycle stand

750w x 800h.

Galvanised & powder coated.

Can be supplied with fixed base plates or with extended legs for setting in concrete.



UK: Manchester Business Park, M22 5TG  
Email: [sales@safetystoragesystems.co.uk](mailto:sales@safetystoragesystems.co.uk)

Phone: 0870 0340754  
[www.safetystoragesystems.co.uk](http://www.safetystoragesystems.co.uk)

IRL: Raheen Ind. Est. Limerick.  
Email: [sales@safetystorage.ie](mailto:sales@safetystorage.ie)

Phone: 061 225005  
[www.safetystorage.ie](http://www.safetystorage.ie)